



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

Holder of Attestation: **Xinsu Global Electronic Co., Limited**

Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road
Central
HONG KONG

Product: **Battery charger
(CHARGER)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 652602501501

Date, 2025-09-16


(Michael Xu)

Page 1 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

Model(s):

XSEC042yyyy L1, XSG042yyyy L1,
XSE042yyyy L1, XSEC042yyyyzz L1,
XSE042yyyyzz L1, XSG042yyyyzz L1,
XSEC050yyyy L1, XSG050yyyy L1,
XSE050yyyy L1, XSEC050yyyyzz L1,
XSE050yyyyzz L1, XSG050yyyyzz L1,
XSEC073yyyy L1, XSG073yyyy L1,
XSE073yyyy L1, XSEC073yyyyzz L1,
XSE073yyyyzz L1, XSG073yyyyzz L1,
XSEC084yyyy L1, XSG084yyyy L1,
XSE084yyyy L1, XSEC084yyyyzz L1,
XSE084yyyyzz L1, XSG084yyyyzz L1,
XSEC110yyyy L1, XSG110yyyy L1,
XSE110yyyy L1, XSEC110yyyyzz L1,
XSE110yyyyzz L1, XSG110yyyyzz L1,
XSEC126yyyy L1, XSG126yyyy L1,
XSE126yyyy L1, XSEC126yyyyzz L1,
XSE126yyyyzz L1, XSG126yyyyzz L1,
XSEC138yyyy L1, XSG138yyyy L1,
XSE138yyyy L1, XSEC138yyyyzz L1,
XSE138yyyyzz L1, XSG138yyyyzz L1,
XSEC146yyyy L1, XSG146yyyy L1,
XSE146yyyy L1, XSEC146yyyyzz L1,
XSE146yyyyzz L1, XSG146yyyyzz L1,
XSEC150yyyy L1, XSG150yyyy L1,
XSE150yyyy L1, XSEC150yyyyzz L1,
XSE150yyyyzz L1, XSG150yyyyzz L1,
XSEC168yyyy L1, XSG168yyyy L1,
XSE168yyyy L1, XSEC168yyyyzz L1,
XSE168yyyyzz L1, XSG168yyyyzz L1,
XSEC170yyyy L1, XSG170yyyy L1,
XSE170yyyy L1, XSEC170yyyyzz L1,
XSE170yyyyzz L1, XSG170yyyyzz L1,
XSEC183yyyy L1, XSG183yyyy L1,
XSE183yyyy L1, XSEC183yyyyzz L1,
XSE183yyyyzz L1, XSG183yyyyzz L1,
XSEC210yyyy L1, XSG210yyyy L1,
XSE210yyyy L1, XSEC210yyyyzz L1,
XSE210yyyyzz L1, XSG210yyyyzz L1,
XSEC220yyyy L1, XSG220yyyy L1,
XSE220yyyy L1, XSEC220yyyyzz L1,

Page 2 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 094747 0174 Rev. 00

XSE220yyyyzz L1, XSG220yyyyzz L1,
XSEC252yyyy L1, XSG252yyyy L1,
XSE252yyyy L1, XSEC252yyyyzz L1,
XSE252yyyyzz L1, XSG252yyyyzz L1,
XSEC255yyyy L1, XSG255yyyy L1,
XSE255yyyy L1, XSEC255yyyyzz L1,
XSE255yyyyzz L1, XSG255yyyyzz L1,
XSEC280yyyy L1, XSG280yyyy L1,
XSE280yyyy L1, XSEC280yyyyzz L1,
XSE280yyyyzz L1, XSG280yyyyzz L1,
XSEC290yyyy L1, XSG290yyyy L1,
XSE290yyyy L1, XSEC290yyyyzz L1,
XSE290yyyyzz L1, XSG290yyyyzz L1,
XSEC292yyyy L1, XSG292yyyy L1,
XSE292yyyy L1, XSEC292yyyyzz L1,
XSE292yyyyzz L1, XSG292yyyyzz L1,
XSEC294yyyy L1, XSG294yyyy L1,
XSE294yyyy L1, XSEC294yyyyzz L1,
XSE294yyyyzz L1, XSG294yyyyzz L1,
XSEC328yyyy L1, XSG328yyyy L1,
XSE328yyyy L1, XSEC328yyyyzz L1,
XSE328yyyyzz L1, XSG328yyyyzz L1,
XSEC336yyyy L1, XSG336yyyy L1,
XSE336yyyy L1, XSEC336yyyyzz L1,
XSE336yyyyzz L1, XSG336yyyyzz L1,
XSEC365yyyy L1, XSG365yyyy L1,
XSE365yyyy L1, XSEC365yyyyzz L1,
XSE365yyyyzz L1, XSG365yyyyzz L1,
XSEC378yyyy L1, XSG378yyyy L1,
XSE378yyyy L1, XSEC378yyyyzz L1,
XSE378yyyyzz L1, XSG378yyyyzz L1,
XSEC402yyyy L1, XSG402yyyy L1,
XSE402yyyy L1, XSEC402yyyyzz L1,
XSE402yyyyzz L1, XSG402yyyyzz L1,
XSEC420yyyy L1, XSG420yyyy L1,
XSE420yyyy L1, XSEC420yyyyzz L1,
XSE420yyyyzz L1, XSG420yyyyzz L1,
XSEC438yyyy L1, XSG438yyyy L1,
XSE438yyyy L1, XSEC438yyyyzz L1,
XSE438yyyyzz L1, XSG438yyyyzz L1,
XSEC462yyyy L1, XSG462yyyy L1,

Page 3 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

XSE462yyyy L1, XSEC462yyyyzz L1,
 XSE462yyyyzz L1, XSG462yyyyzz L1,
 XSEC475yyyy L1, XSG475yyyy L1,
 XSE475yyyy L1, XSEC475yyyyzz L1,
 XSE475yyyyzz L1, XSG475yyyyzz L1,
 XSEC480yyyy L1, XSG480yyyy L1,
 XSE480yyyy L1, XSEC480yyyyzz L1,
 XSE480yyyyzz L1, XSG480yyyyzz L1
 (yyyy=0300-5000, indicates for rated output current
 range 0.3-5.0A; zz=EU or UK, indicates for different
 AC plug: EU=European plug, UK=British plug.)

Brand: Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 1.3A Max
 Rated Output: See below table for details
 Protection Class: II
 Degree of Protection: IP20

Tested according to:
 EN 60335-1:2012/A16:2023
 EN 60335-2-29:2021/A11:2024
 EN 62233:2008

Page 4 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not
 allow for CE marking. After preparation of the necessary documentation and establishing compliance
 to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE
 marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

Models	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
XSEC042yyyy L1, XSG042yyyy L1, XSE042yyyy L1, XSEC042yyyyzz L1, XSE042yyyyzz L1, XSG042yyyyzz L1	4.2	0.3-5.0	21.0
XSEC050yyyy L1, XSG050yyyy L1, XSE050yyyy L1, XSEC050yyyyzz L1, XSE050yyyyzz L1, XSG050yyyyzz L1	5.0	0.3-5.0	25.0
XSEC073yyyy L1, XSG073yyyy L1, XSE073yyyy L1, XSEC073yyyyzz L1, XSE073yyyyzz L1, XSG073yyyyzz L1	7.3	0.3-4.8	35.04
XSEC084yyyy L1, XSG084yyyy L1, XSE084yyyy L1, XSEC084yyyyzz L1, XSE084yyyyzz L1, XSG084yyyyzz L1	8.4	0.3-4.0	33.6
XSEC110yyyy L1, XSG110yyyy L1, XSE110yyyy L1, XSEC110yyyyzz L1, XSE110yyyyzz L1, XSG110yyyyzz L1	11.0	0.3-3.4	37.4
XSEC126yyyy L1, XSG126yyyy L1, XSE126yyyy L1, XSEC126yyyyzz L1, XSE126yyyyzz L1, XSG126yyyyzz L1	12.6	0.3-3.0	37.8
XSEC138yyyy L1, XSG138yyyy L1, XSE138yyyy L1, XSEC138yyyyzz L1, XSE138yyyyzz L1, XSG138yyyyzz L1	13.8	0.3-2.8	38.6
XSEC146yyyy L1, XSG146yyyy L1, XSE146yyyy L1, XSEC146yyyyzz L1, XSE146yyyyzz L1, XSG146yyyyzz L1	14.6	0.3-2.712	39.6
XSEC150yyyy L1, XSG150yyyy L1, XSE150yyyy L1, XSEC150yyyyzz L1, XSE150yyyyzz L1, XSG150yyyyzz L1	15.0	0.3-2.6	39.0
XSEC168yyyy L1, XSG168yyyy L1, XSE168yyyy L1, XSEC168yyyyzz L1, XSE168yyyyzz L1, XSG168yyyyzz L1	16.8	0.3-2.35	39.48
XSEC170yyyy L1, XSG170yyyy L1, XSE170yyyy L1, XSEC170yyyyzz L1, XSE170yyyyzz L1, XSG170yyyyzz L1	17.0	0.3-2.3	39.1
XSEC183yyyy L1, XSG183yyyy L1, XSE183yyyy L1, XSEC183yyyyzz L1, XSE183yyyyzz L1, XSG183yyyyzz L1	18.3	0.3-2.13	39.0
XSEC210yyyy L1, XSG210yyyy L1, XSE210yyyy L1, XSEC210yyyyzz L1, XSE210yyyyzz L1, XSG210yyyyzz L1	21.0	0.3-1.85	38.85

Page 5 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

XSEC220yyyy L1, XSG220yyyy L1, XSE220yyyy L1, XSEC220yyyyzz L1, XSE220yyyyzz L1, XSG220yyyyzz L1	22.0	0.3-1.8	39.6
XSEC252yyyy L1, XSG252yyyy L1, XSE252yyyy L1, XSEC252yyyyzz L1, XSE252yyyyzz L1, XSG252yyyyzz L1	25.2	0.3-1.58	39.82
XSEC255yyyy L1, XSG255yyyy L1, XSE255yyyy L1, XSEC255yyyyzz L1, XSE255yyyyzz L1, XSG255yyyyzz L1	25.5	0.3-1.5	38.25
XSEC280yyyy L1, XSG280yyyy L1, XSE280yyyy L1, XSEC280yyyyzz L1, XSE280yyyyzz L1, XSG280yyyyzz L1	28.0	0.3-1.41	39.48
XSEC290yyyy L1, XSG290yyyy L1, XSE290yyyy L1, XSEC290yyyyzz L1, XSE290yyyyzz L1, XSG290yyyyzz L1	29.0	0.3-1.36	39.44
XSEC292yyyy L1, XSG292yyyy L1, XSE292yyyy L1, XSEC292yyyyzz L1, XSE292yyyyzz L1, XSG292yyyyzz L1	29.2	0.3-1.36	39.71
XSEC294yyyy L1, XSG294yyyy L1, XSE294yyyy L1, XSEC294yyyyzz L1, XSE294yyyyzz L1, XSG294yyyyzz L1	29.4	0.3-1.36	39.98
XSEC328yyyy L1, XSG328yyyy L1, XSE328yyyy L1, XSEC328yyyyzz L1, XSE328yyyyzz L1, XSG328yyyyzz L1	32.8	0.3-1.20	39.36
XSEC336yyyy L1, XSG336yyyy L1, XSE336yyyy L1, XSEC336yyyyzz L1, XSE336yyyyzz L1, XSG336yyyyzz L1	33.6	0.3-1.15	38.64
XSEC365yyyy L1, XSG365yyyy L1, XSE365yyyy L1, XSEC365yyyyzz L1, XSE365yyyyzz L1, XSG365yyyyzz L1	36.5	0.3-1.05	38.33
XSEC378yyyy L1, XSG378yyyy L1, XSE378yyyy L1, XSEC378yyyyzz L1, XSE378yyyyzz L1, XSG378yyyyzz L1	37.8	0.3-1.05	39.69
XSEC402yyyy L1, XSG402yyyy L1, XSE402yyyy L1, XSEC402yyyyzz L1, XSE402yyyyzz L1, XSG402yyyyzz L1	40.2	0.3-0.95	38.19
XSEC420yyyy L1, XSG420yyyy L1, XSE420yyyy L1, XSEC420yyyyzz L1, XSE420yyyyzz L1, XSG420yyyyzz L1	42.0	0.3-0.952	39.98
XSEC438yyyy L1, XSG438yyyy L1, XSE438yyyy L1, XSEC438yyyyzz L1, XSE438yyyyzz L1, XSG438yyyyzz L1	43.8	0.3-0.9	39.42
XSEC462yyyy L1, XSG462yyyy L1, XSE462yyyy L1, XSEC462yyyyzz L1, XSE462yyyyzz L1, XSG462yyyyzz L1	46.2	0.3-0.85	39.27

Page 6 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0174 Rev. 00

XSEC475yyyy L1, XSG475yyyy L1, XSE475yyyy L1, XSEC475yyyyzz L1, XSE475yyyyzz L1, XSG475yyyyzz L1	47.5	0.3-0.80	38.0
XSEC480yyyy L1, XSG480yyyy L1, XSE480yyyy L1, XSEC480yyyyzz L1, XSE480yyyyzz L1, XSG480yyyyzz L1	48.0	0.3-0.78	37.44